



PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference 663539	FOR FURTHER ACTION	ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)		
International application No.	International filing date (day/m			
PCT/JP2003/000051 International Patent Classification (IPC) or n	08 January 2003 (08.0 ational classification and IPC	1.2003)	11 January 2002 (11.01.2002)	
B65B 1/30				
Applicant	YUYAMA MFG. CO.	, LTD.		
This international preliminary exam and is transmitted to the applicant according to the according to		by this Intern	ational Preliminary Examining Authority	
2. This REPORT consists of a total of	5 sheets, including	g this cover s	heet.	
This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).				
These annexes consist of a to	tal of sheets.			
3. This report contains indications rela	ting to the following items:			
I Basis of the report				
II Priority				
III Non-establishment o	of opinion with regard to novelty	, inventive ste	ep and industrial applicability	
IV Lack of unity of inv	ention			
V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement				
VI Certain documents of	VI Certain documents cited			
VII Certain defects in th	VII Certain defects in the international application			
VIII Certain observations on the international application				
Date of submission of the demand Date of completion of this report			f this report	
27 June 2003 (27.06.2	003)	12 N	March 2004 (12.03.2004)	
Name and mailing address of the IPEA/JP	Authori	zed officer	•	
Facsimile No.	Telepho	Telephone No.		








I. J	I. Basis of the report					
1.	1. With regard to the elements of the international application:*					
		the international application as originally filed				
	$\overline{\boxtimes}$	the desc	cription:			
	<u> </u>		1, 3-5	, as originally filed		
		pages		, filed with the demand		
		pages	2, 2/1 , filed with the letter of	28 November 2003 (28.11.2003)		
	\boxtimes	the clair	me·			
	لاعا	pages	1-3	, as originally filed		
		pages	, as amended (togeth			
		pages		, filed with the demand		
		pages	4 , filed with the letter of	28 November 2003 (28.11.2003)		
	\boxtimes	the drav				
	الكا	pages	1-7	, as originally filed		
		pages		, filed with the demand		
		pages	, filed with the letter of			
	Π,	- cealie	ence listing part of the description:			
	L.,	me sequei pages	-	as originally filed		
		pages				
		pages .	, filed with the letter of			
	These elements were available or furnished to this Authority in the following language which is: the language of a translation furnished for the purposes of international search (under Rule 23.1(b)). the language of publication of the international application (under Rule 48.3(b)). the language of the translation furnished for the purposes of international preliminary examination (under Rule 55.2 and/or 55.3). With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing: contained in the international application in written form. filed together with the international application in computer readable form. furnished subsequently to this Authority in written form. furnished subsequently to this Authority in computer readable form.					
		internat The sta	eatement that the subsequently furnished written sequence listing does national application as filed has been furnished. attendent that the information recorded in computer readable form is identical armished.			
4.			the claims, Nos the drawings, sheets/fig			
5.			port has been established as if (some of) the amendments had not been made, the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).**	since they have been considered to go		
1	in thi	acement s is report 70.17).	sheets which have been furnished to the receiving Office in response to an invi- as "originally filed" and are not annexed to this report since they do	itation under Article 14 are referred to not contain amendments (Rule 70.16		
**.	** Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.					





V.	Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability;
	citations and explanations supporting such statement

. Statement			
Novelty (N)	Claims	1-4	YES
	Claims		NO
Inventive step (IS)	Claims	3	YES
	Claims	1, 2, 4	NO
Industrial applicability (IA)	Claims	1-4	YES
	Claims		NO

2. Citations and explanations

Document 1: JP 8-119202 A (Yuyama Mfg. Co., Ltd.), 14

May 1996

Document 2: JP 8-91301 A (Yuyama Mfg. Co., Ltd.), 09

April 1996

Document 3: JP 8-119201 A (Yuyama Mfg. Co., Ltd.), 14

May 1996

Document 4: JP 50-112196 A (Sanyo Electric Co., Ltd.),

03 September 1975

Document 5: JP 62-183087 A (Hitachi, Ltd.), 11 August

1987

Claims 1 and 2

The invention set forth in claims 1 and 2 does not involve an inventive step in the light of document 1, document 2, document 3 and document 4 cited in the international search report.

Document 1 discloses a tablet feeder for delivering tablets from a tablet storage case that is mounted upon a case support table, which has an information display unit and a determination means (refer to the "identification device (16)" and the "read device (17)" in this document), wherein the feeder determines whether or not the tablet cartridge has been mounted (refer to paragraph [0064] in document 1), and also discloses the technical features of

determining whether or not the cartridge has been mounted based upon the on/off state of a switch (refer to the "switch (25)" in document 1), and of switching the power source for the device on or off according to this determination (refer to the "powder identification device (26)" in document 1, which comprises the "switch (25)" and the "signal generator (24)").

Document 2 discloses a tablet feeder similar to that disclosed in document 1, and discloses technical features related thereto.

Document 3 discloses a tablet feeder that has a counting means (refer to the "detection means provided to the discharge port (18) of the tablet feeder (3)" in document 3), which detects the mounting of the tablet storage case (refer to the disclosure wherein "by means of the identification means, the mounting of the cartridge container (15)..." in paragraph [0052] of document 3), and discloses the technical feature of providing a "combination of a contact switch and a protrusion that operates the switch," whereby a signal is output from the time when mounting is initiated (refer to paragraph [0047] in document 3).

Document 4 discloses a tablet feeder that has a counting means (refer to the "detection means (11)" in document 4).

Specifically, in the light of the technical features of determining whether an object has been mounted based upon the on/off state of a switch and of switching the power source for the device on or off according to that determination, it is considered to be easy for a person skilled in the art to conceive of controlling whether the counting means and the determination means are on or off according to the mounting state of the tablet storage case. Therefore, it would be easy for a person skilled in the art to invent the invention set forth in claims 1 and

2 of this application by combining the features disclosed in documents 1-4.

Claim 4

The invention set forth in claim 4 does not involve an inventive step in the light of documents 1-4 and newly cited document 5.

Document 5 discloses technical features related to a system for mounting a cartridge to a holder, wherein the mounting detection means detects that an object is being mounted.


It is considered to be easy for a person skilled in the art to conceive of adding the technical features disclosed in document 5, which relate to a system for mounting a cartridge to a holder, as the means for determining whether or not the tablet cartridge has been mounted in the tablet feeders for delivering tablets from a tablet storage case that is mounted upon a case support table, which are disclosed in document 1 and document 2. Therefore, it would be easy for a person skilled in the art to invent the invention set forth in claim 4 of this application by combining the technical features disclosed in documents 1-5.

Claim 3

The invention set forth in claim 3 is not disclosed in any of the documents cited in the international search report or in any of the newly cited documents, and is not obvious to a person skilled in the art.

3360

電話番号 03-3581-1101 内線



特 許 協 力 条 約

PCT

国際予備審査報告

(法第12条、法施行規則第56条) [PCT36条及びPCT規則70]

RECEIVED		
25	MAR 2004	
WIPO	PCT	

出願人又は代理人 の書類記号 663539	今後の手続きについては、国際予備審査報告の送付通知(様式PCT/ IPEA/416)を参照すること。					
国際出願番号 PCT/JP03/00051	国際出願日 (日.月.年) 08.01.2003 優先日 (日.月.年) 11.01.2002					
国際特許分類 (IPC) Int. Cl ⁷						
出願人 (氏名又は名称) 株式会社湯山製作所	F					
,	国際予備審査報告を法施行規則第57条(PCT36条)の規定に従い送付する。					
2. この国際予備審査報告は、この表紙	· •					
査機関に対してした訂正を含む (PCT規則70.16及びPCT	X この国際予備審査報告には、附属書類、つまり補正されて、この報告の基礎とされた及び/又はこの国際予備審査機関に対してした訂正を含む明細書、請求の範囲及び/又は図面も添付されている。 (PCT規則70.16及びPCT実施細則第607号参照) この附属書類は、全部で 3 ページである。					
3. この国際予備審査報告は、次の内						
 I X 国際予備審査報告の基礎						
Ⅱ □ 優先権						
Ⅲ ∭ 新規性、進歩性又は産業						
IV 開の単一性の欠如						
V X PCT35条(2)に規定する新規性、進歩性又は産業上の利用可能性についての見解、それを裏付けるための文献及び説明 VI						
VII 国際出願の不備						
VⅢ ■ 国際出願に対する意見						
国際予備審査の請求書を受理した日 27.06.2003	国際予備審査報告を作成した日 12.03.2004					
名称及びあて先	特許庁審査官(権限のある職員) 3 N 8608					
日本国特許庁 (IPEA/JP 郵便番号100-8915						

東京都千代田区貿が関三丁目4番3号



国際出願番号 PCT/JP03/00051

		a de la desemb			
	際予備審査報 				
1. この国際予備審査報告は下記の出願書類に基づいて作成された。 (法第6条 (PCT14条) の規定に基づく命令に 応答するために提出された差し替え用紙は、この報告書において「出願時」とし、本報告書には添付しない。 PCT規則70.16,70.17)					
	出願時の国際	発出願書類			
	明細書 明細書 明細書	第1, 3-5	国際予備審査の請求審と共に提出されたもの		
X	請求の範囲 請求の範囲 請求の範囲 請求の範囲	第	出願時に提出されたもの PCT19条の規定に基づき補正されたもの 国際予備審査の請求書と共に提出されたもの 付の書簡と共に提出されたもの		
X	図面 図面 図面	第 <u>1-7</u> 第 ページ, 第 ページ,	✓図、 出願時に提出されたもの✓図、 国際予備審査の請求書と共に提出されたもの✓図、 付の書簡と共に提出されたもの		
	明細書の配列	列表の部分 第 ページ、 列表の部分 第 ページ、 列表の部分 第 ページ、	国際予備審査の請求書と共に提出されたもの		
2. 1	上記の出願書	頃の言語は、下記に示す場合を除くほか	、この国際出願の言語である。		
لـ	上記の書類は、	、下記の言語である	fである。		
□ 国際調査のために提出されたPCT規則23.1(b)にいう翻訳文の言語 □ PCT規則48.3(b)にいう国際公開の言語 □ 国際予備審査のために提出されたPCT規則55.2または55.3にいう翻訳文の言語					
3. この国際出願は、ヌクレオチド又はアミノ酸配列を含んでおり、次の配列表に基づき国際予備審査報告を行った。 □ この国際出願に含まれる書面による配列表 □ この国際出願と共に提出された磁気ディスクによる配列表 □ 出願後に、この国際予備審査(または調査)機関に提出された書面による配列表 □ 出願後に、この国際予備審査(または調査)機関に提出された磁気ディスクによる配列表 □ 出願後に提出した書面による配列表が出願時における国際出願の開示の範囲を超える事項を含まない旨の陳述書の提出があった □ 書面による配列表に記載した配列と磁気ディスクによる配列表に記録した配列が同一である旨の陳述書の提出があった。					
4.	補正により、] 明細魯] 請求の範囲] 図面	下記の書類が削除された。 第ページ 第項 図面の第	; - ページ/図		
5.	5. □ この国際予備審査報告は、補充欄に示したように、補正が出願時における開示の範囲を越えてされたものと認められるので、その補正がされなかったものとして作成した。(PCT規則70.2(c) この補正を含む差し替え用紙は上記1. における判断の際に考慮しなければならず、本報告に添付する。)				



国際予備審査報告

国際出願番号 PCT/JP03/00051

V. 新規性、進歩性又は産業上の利用可能性に 文献及び説明	こついての法第12条(P	CT35条(2)) に定める見解、	それを裏付ける
1. 見解			
新規性(N)	請求の範囲	1-4	有 無
進歩性(IS)	請求の範囲 請求の範囲	3 1, 2, 4	有 無
産業上の利用可能性 (IA)	請求の範囲 請求の範囲	1-4	有 無
2. 文献及び説明 (PCT規則70.7)			
文献1:JP 8-11920	1996	. 05. 14	
文献2:JP 8-91301 文献3:JP 8-11920	1996.	04.09	
文献3:J1 5 11920 文献4:JP 50-1121	1996	. 05. 14	
文献 5 : JP 62-1830	197 187 A (株式会	5.09.03	
請求の範囲1, 2			
請求の範囲1,2に係る発明は	は、国際調査報告で	引用された上記文献1	、文献2、
文献3及び文献4により、進歩性 上記文献1には、ケース支持台 フィーダであって、情報表示部及	さに装着した錠剤収	【容ケースから錠剤を払 中の「識別装置16」	い出す錠剤及び「読取
装置17」参照)を有し、また、 (文献中の段落【0064】参照	錠剤カートリッジ	シの装着されたか否かを	判断する
チのオン・オフによって判断し 装置への電源をオン・オフする	(文献中の「スイッ (文献中の「スイッ	νチ25」参照)、その νチ25」ならびに「発	判断により
とからなる「散薬識別装置26」 上記文献2には、上記文献1に	参照)技術的事項 に記載されたと同様	はが記載されている。 食な錠剤フィーダならび	に技術的事
│ 項が記載されている。 │ 上記文献3には、計数手段(文 │ 手段」参照)を有する錠剤フィー			
「女献」)「認識手段により も着の開始から信号)、カートリッジ容器1 分を出力する「接点スイ	5が装着さ ッチとその
スイッテを作動させる矢槌とを私 照)の技術的事項が記載されてV 上記文献4には、計数手段(文	いる。		
ィーダが記載されている。 そして、特に、装着されている の判断により装置への電源をオン	らか否かをスイッチ	- - のオン・オフによって	判断し、そ



補充欄(いずれかの欄の大きさが足りない場合に使用すること)

第 V.2. 欄の続き

別手段のオン・オフを錠剤収容ケースの装着状態によって制御することは、当業者が容易に想到し得たものと認められるので、上記文献1~文献4の記載事項を組み合わせることにより、本件請求の範囲1,2に係る発明は、当業者が容易に発明し得たものである。

請求の範囲4

請求の範囲4に係る発明は、上記文献1~文献4及び新たに引用した上記文献5に より、進歩性を有しない。


より、進歩性を有しない。
上記文献5には、カートリッジをホルダに装着するシステムにおける、装着途中を

検出する装着検出手段に係る技術的事項が記載されている。

で、上記文献1万至文献2に記載されたケース支持台に装着した錠剤収容ケースから錠剤を払い出す錠剤フィーダにおける、錠剤カートリッジが装着されたか否かを判断する手段に、カートリッジをホルダに装着するシステムに係る上記文献5に記載された技術的事項を付加することは当業者が容易に想到し得たものと認められるので、上記文献1~文献5の記載事項を組み合わせることにより、本件請求の範囲4に係る発明は、当業者が容易に発明し得たものである。

請求の範囲3

請求の範囲3に係る発明は、国際調査報告に引用されたいずれの文献にも記載されておらず、新たに引用した文献にも記載されておらず、また、当業者にとって自明なものでもない。



状態が検出されるまでは前記計数手段をオフ状態に維持する一方、検出後はオン 状態としたものである。

この構成により、ケース支持台から錠剤収容ケースを取り外した状態では計数 手段をオフ状態とすることができ、無駄な消費電力を抑制すると共に、外乱によ る計数手段の誤動作を確実に防止することが可能となる。また、ケース支持台に 錠剤収容ケースを取り付ける際、装着開始直後に計数手段がオン状態となるので、 誤って錠剤収容ケースから錠剤が零れ落ちたとしても、この錠剤が排出通路を通 過する際、計数手段によって確実に計数することができ、排出数に狂いが生じる ことがない。

前記錠剤収容ケースに、収容される錠剤に関する情報を示す情報表示部を設ける一方、前記ケース支持台に、前記情報表示部を検出する判別手段を設け、前記ケース検出手段により前記錠剤収容ケースの装着開始状態が検出されるまでは前記判別手段をオフ状態に維持する一方、検出後はオン状態としてもよい。

これにより、外乱による悪影響を受けるか否かを考慮することなく、判別手段 の設置位置を決定することができる。

前記計数手段は、該ケース検出手段の検出信号に基づいて、ノイズの影響時間の経過後、前記計数手段をオン状態とすると、さらに計数手段による検出ミスを防止可能となる点で好ましい。また、前記ケース検出手段は、前記ケース支持台への前記錠剤収容ケースの装着開始から装着途中までの状態と、装着途中から装着完了までの状態とをそれぞれ別個に検出可能としてもよい。

図面の簡単な説明

5

10

15

20

- 図1は、本実施形態に係る錠剤フィーダの分解斜視図である。
- 図2は、図1に示すケース支持台の平面図である。
- 図3は、図1に示す錠剤収容ケースの断面図である。
- 25 図4は、図1に示す錠剤収容ケースの底面図である。
 - 図5は、図1に示す錠剤フィーダが装着される錠剤供給装置の斜視図である。
 - 図6は、図1に示す錠剤フィーダが装着される他の錠剤供給装置の斜視図である。
 - 図7は、ケース検出手段、計数手段、及び判別手段のオン・オフ状態を示すタ

イムチャート図である。 <u>発明を実施するための最良の形態</u>

請求の範囲

1. ケース支持台に装着した錠剤収容ケースから錠剤を払い出し、前記ケース 支持台に形成した排出通路を通過する際、計数手段によって通過する錠剤を計数 するようにした錠剤フィーダにおいて、

5

20

前記ケース支持台への前記錠剤収容ケースの装着開始から検出信号を出力するケース検出手段を設け、該ケース検出手段により前記錠剤収容ケースの装着開始 状態が検出されるまでは前記計数手段をオフ状態に維持する一方、検出後はオン 状態としたことを特徴とする錠剤フィーダ。

- 2. 前記錠剤収容ケースに、収容される錠剤に関する情報を示す情報表示部を 設ける一方、前記ケース支持台に、前記情報表示部を検出する判別手段を設け、 前記ケース検出手段により前記錠剤収容ケースの装着開始状態が検出されるまで は前記判別手段をオフ状態に維持する一方、検出後はオン状態としたことを特徴 とする請求項1に記載の錠剤フィーダ。
- 15 3. 前記計数手段は、該ケース検出手段の検出信号に基づいて、ノイズの影響時間の経過後、前記計数手段をオン状態としたことを特徴とする請求項1に記載の錠剤フィーダ。
 - 4. (追加) 前記ケース検出手段は、前記ケース支持台への前記錠剤収容ケースの装着開始から装着途中までの状態と、装着途中から装着完了までの状態とをそれぞれ別個に検出可能であることを特徴とする請求項1に記載の錠剤フィーダ。